
1 / 15






FIG. 3A

IDLING DATA	VEHICLE ID	LOCATION	DIRECTION		COMMUNICATION INFORMATION
----------------	---------------	----------	-----------	--	---------------------------

FIG. 3B

IDLING DATA	VEHICLE ID	LOCATION	DIRECTION	INTERRUPT REQUEST	VEHICLE TYPE, COLOR, ETC.
----------------	---------------	----------	-----------	----------------------	------------------------------

FIG. 3C

IDLING DATA	VEHICLE ID	LOCATION	DIRECTION	INTERRUPT ACKNOW- LEDGMENT	VEHICLE TYPE, COLOR, ETC.
----------------	---------------	----------	-----------	----------------------------------	------------------------------

FIG. 4





FIG. 5



METHOD AND APPARATUS FOR VEHICLE-TO-VEHICLE COMMUNICATION Inventor: Takayuki Ogino et al. Attorney Docket No. 9333/355 Client Ref. No. IWUS03009

FIG. 6







FIG. 7





8 / 15



Client Ref. No. IWUS03009

FIG. 10A





FIG. 10B



10 / 15




FIG. 12




FIG. 13




FIG. 14






FIG. 15



METHOD AND APPARATUS FOR VEHICLE-TO-VEHICLE COMMUNICATION Inventor: Takayuki Ogino et al. Attorney Docket No. 9333/355 Client Ref. No. IWUS03009



15 / 15

